1. 2-Aminotetralines having formula (I)

R 2 NH 2

or their pharmacologically acceptable salts having formula (II)

R<sub>1</sub> R<sub>2</sub> NH<sub>3</sub> X

20 wherein:

R and R:, are independently, helogen; hydroxy; C1-C4 alkoxy, optionally substituted in position  $\omega$  with groups OH, NH<sub>2</sub>,

AMENDED SHEET

The first constant constant constant in the constant constant constant constant constant constant constant cons

10

15

h H: Commercia co ou

NR<sub>3</sub>R<sub>4</sub> wherein R<sub>3</sub> and R<sub>4</sub> are independently H. C1-C4 alkyl, unsubstituted or substituted in position ω with groups OH, NH<sub>2</sub>; C1-C4 alkancyl; C1-C4 alkyl; carbamoyl; carbamoyloxy; amino; amino substituted NR<sub>3</sub>R<sub>4</sub>, where R<sub>3</sub> and R<sub>4</sub> have the aforesaid meanings;

 $R_2$  is hydrogen; halogen; hydroxy; methoxy, with the proviso that the case is excluded in which the 2-aminotetraline is a raceme in which (a)  $R=R_1=CH_3O$ ; OH;  $R_2=H$ ; or (b) R=F;  $R_1=CH_3O$ ; OH;  $R_2=H$ ; and

X is the monovalent anion of a pharmacologically acceptable acid.

- 2. Compound according to claim I, wherein the monovalent anion of a pharmacologically acceptable acid is selected from chloride, bromide, orotate, acid aspartate, acid citrate, acid phosphate, furnarate and acid furnarate, lactate, maleate and acid maleate, acid oxalate, acid sulphate, glucose phosphate, tartrate and acid tartrate.
- 3. A compound according to claim-1 which is selected from: S(-)-2-amino-6-fluoro-7-hydroxytetraline hydrochloride (ST 1237);

R(+)-2-amino-6-fluoro-7-hydroxytetraline hydrochloride (ST 1238);

AMENDED SHEET

. / .

antegale en er

- (R,S)-2\amino-5,6-difluoro-7- methoxytetraline hydrochloride (ST 1269);
- (R,S)-2-amino-6-iluoro-7-methyltetraline nydrochloride (ST 1275);
- (R.S)-2-amino-7-fluoro-6-hydroxytetraline hydrochloride (ST 1267);
- (R,S)-7-acetyl-2\amino-6-methyltetraline hydrochloride (ST 1274);
- (R,S)-2-amino-7-fluoro-6-methoxytetraline hydrochloride (ST 1262).
- 4. An orally or parenterally administrable pharmaceutical composition containing a compound of formula I or II and a pharmaceutically acceptable carrier and/or diluent.
- 5. An orally or parenterally administrable pharmaceutical composition for the prevention and therapeutical treatment of inflammatory and/or autoimmune pathologies induced by inflammatory cytokines, and which comprises as active ingredient a compound according to claim 1, 2 or 3 and a pharmacologically acceptable excipient.
- 20 6. Composition according to claim 5, for the prophylactic and the therapeutical treatment of septic shock.

AMIENDED SHEET

السلا الساد الساد

7. Composition according to claim. 5, for preparing a medicament for the therapeutic treatment of rheumatoid arthritis, pandreatitis, inflammatory bowel disease, systemic lupus erythematosus, giomerulonephritis and encephalomyelitis.

WE DELICHE